## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

# Listing of Claims:

Claims 1-13 (Cancelled)

- 14. (Previously presented) A device for treatment of mitral annulus dilatation, comprising an elongate body having such dimensions as to be insertable into the coronary sinus and having two states, in a first of which the elongate body has a shape that is adaptable to the shape of the coronary sinus, and to the second of which the elongate body is transferable from said first state assuming a reduced radius of curvature, whereby the radius of curvature of the coronary sinus is reduced as well as the circumference of the mitral valve annulus, when the elongate body is positioned in the coronary sinus, said elongate body comprising at least one stent section at a distance from each end of the elongate body, said at least one stent section providing a reduction of its length when expanded in situ in the coronary sinus, whereby the elongate body is shortened and bent to a smaller radius of curvature.
- 15. (Previously presented) The device of claim 14, wherein the at least one stent section is a central stent section of the elongate body, the central stent section located between a

distal stent section and a proximal stent section of the elongate body the distal and proximal stent sections being expandable prior to the central stent section.

- 16. (Original) The device of claim 15, wherein the distal and proximal stent sections are expandable without substantial length reduction.
- 17. (Original) The device of claim 14, wherein a memory material is used as stent material.

Claims 18-20 (Cancelled)

- 21. (Cancelled)
- 22. (Previously presented) A medical device for remodeling an extravascular tissue structure adjacent to a vessel in a patient, comprising:

an elongate body extending between a proximal end and a distal end, and that is adjustable between a first configuration having a first shape such that the elongate body is adapted to be delivered at least in part into the vessel and a second configuration having a second shape such that the elongate body is adapted to exert a force from within the vessel onto the extravascular tissue structure in order to remodel the extravascular tissue structure, and

wherein the elongate body is adapted to be positioned in the first configuration at least in part within a coronary sinus and is adapted to remodel a mitral valve annulus adjacent to the

coronary sinus when the elongate body is located at least in part within the coronary sinus and is adjusted to the second configuration.

- 23. (Cancelled)
- 24. (Cancelled)
- 25. (Previously presented) A medical device as in Claim
  22, wherein the elongate body within the coronary sinus
  comprises a substantially similar length between the first and
  second configurations.
- 26. (Previously presented) A medical device as in Claim 22, wherein the elongate body within the coronary sinus is relatively non-expandable while the elongate body is adjusted between the first and second configurations.
- 27. (Previously presented) A medical device as in Claim 22, wherein the elongate body within the coronary sinus is relatively non-compressible while the elongate body is adjusted between the first and second configurations.

#### 28. (Cancelled)

29. (Previously presented) A medical device as in Claim 22, further comprising a lock for retaining the elongate body in the second configuration at least in part within the coronary sinus.

30. (Previously presented) A medical device as in Claim 22, wherein in the second configuration the second shape for the elongate body at least in part within the coronary sinus defines an arc.

## 31. (Cancelled)

- 32. (Previously Presented) A medical device as in Claim 22, further comprising an anchor for retaining the elongate body at least in part within the coronary sinus.
  - 33. (Previously Presented) A medical device as in Claim 32, wherein the anchor comprises a region along a distal portion of the elongate body.
  - 34. (Previously Presented) A medical device as in Claim 32, wherein the anchor comprises a friction enhancing surface for engaging a wall of the coronary sinus.
  - 35. (Previously Presented) A medical device as in Claim 32, wherein the anchor comprises at least one barb for piercing a wall of the coronary sinus.
  - 36. (Previously Presented) A medical device as in Claim 32, wherein the anchor is located at least in part at the proximal end of the elongate body.
  - 37. (Previously presented) A medical device as in Claim 22, wherein the mitral valve annulus has a wall that

circumscribes a space having a diameter, and the elongate body when adjusted from the first configuration to the second configuration within the coronary sinus is adapted to compress the mitral valve annulus to thereby reduce the diameter of said space.

38. (Currently amended) A medical <u>system for remodeling an</u> extravascular tissue structure adjacent to a vessel in a patient, device as in Claim 22, further comprising:

an elongate body extending between a proximal end and a distal end, and that is adjustable between a first configuration having a first shape such that the elongate body is adapted to be delivered at least in part into the vessel and a second configuration having a second shape such that the elongate body is adapted to exert a force from within the vessel onto the extravascular tissue structure in order to remodel the extravascular tissue structure,

wherein the elongate body is adapted to be positioned in the first configuration at least in part within a coronary sinus and is adapted to remodel a mitral valve annulus adjacent to the coronary sinus when the elongate body is located at least in part within the coronary sinus and is adjusted to the second configuration, and

a deployment system cooperating with the elongate body and which is adapted to at least in part deliver the elongate body in the first configuration at least in part into the coronary sinus.

- 39. (Currently amended) A medical <u>system</u> device as in claim 38, wherein the deployment system comprises a delivery member that is coupled to the elongate body and is adapted to advance the elongate body into the coronary sinus.
- 40. (Previously presented) A medical device for remodeling a tissue structure adjacent to a body space that is defined at least in part by a tissue wall in a patient, comprising:

an elongate body extending between a proximal end portion and a distal end portion and that is adjustable between a first configuration having a first shape that is adapted to be delivered at least in part into the body space and a second configuration having a second shape that is adapted at least in part to exert a force from within the body space onto the adjacent tissue structure in order to remodel the adjacent tissue structure, wherein the elongate body is adapted to be positioned in the first configuration at least in part within a coronary sinus and is adapted to remodel a mitral valve annulus adjacent to the coronary sinus when the elongate body is located at least in part within the coronary sinus and is adjusted to the second configuration.

Claims 41-72 (Cancelled)

# 73. (Cancelled)

74. (Currently amended) A medical <u>system</u> device as in claim 39, wherein the elongate body is pre-formed into an arcuate shape in the second configuration such that when

advanced by a delivery member into the coronary sinus it assumes its pre-formed arcuate second configuration to apply force to remodel the mitral valve annulus.